167 Optical Module



Overview

RTXM167-522/526/528 GPON OLT SFP transceiver modules are designed for use in Gigabit-capable Passive Optical Network (GPON) links on up to 20km of single mode fiber. They are compliant with the ITU-T G. 2 and applicable portions of SFF-8431. The optical transceiver is RoHS. Buy now, ships today. 3V LC Duplex Pluggable, SFP from BlueOptics by CBO GmbH. The power supply for each channel gro tion class 3, pollution degree 2). For the inputs, the primary (+24 V) and the secondary sides (+5 V)The module CTO 167 has 16 +24V / 2A digital outputs (positive switching). According to the safety requirements of the “Professional Ins-titute for Works Safety”, the outputs of. Integrated circuits and reference designs help you create a smaller and faster optical module design used in high-bandwidth data communication applications. Whether you are creating a 100-Gbps or 400-Gbps, small form-factor pluggable (SFP) module, SFP+ transceiver, XFP module, CFP, X2/XENPAK module. Uonel is one of the biggest Cisco&Huawei Network Hardware distributor in china, founded in 2008. The module incorporates 1490nm DFB continuous-mode transmitter and 1310nm burst-mode APD receiver.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Article Content

3000-167-BO BlueOptics by CBO GmbH | Fiber Optic Transceiver

Buy now, ships today. 3000-167-BO - Transceiver Module Ethernet 1.25Gbps 1310nm 3.3V LC Duplex Pluggable, SFP from BlueOptics by CBO GmbH. View datasheets, pricing and availability from

s-DiAs Digital Mixed Module DM 167

DM 167 with 8 digital inputs 8 short-circuit proof digital outputs tputs (+24 V/1.7 A) in two groups. The power supply for each channel gro tion class 3, pollution degree 2). For the inputs, the primary (+24

C-DIAS Digital Output Module CTO 167

The module CTO 167 has 16 +24V / 2A digital outputs (positive switching). These outputs are protected against short-circuiting. The supply voltage of each channel group is checked on undervoltage.

34060694, RTXM167-527 GPON-OLT-CLASS C

We provide original new Huawei&Cisco Routers,Switches,Firewalls,Wireless APs & controllers,OLTs,GPON modems,optical transceivers.Our company have more

GPON OLT Optical Transceiver SFP Module

The module incorporates 1490nm DFB continuous-mode transmitter and 1310nm burst-mode APD receiver. The transmitter section uses a high efficiency 1490nm DFB laser and an integrated laser

SIGMATEK DM 167 INSTRUCTION MANUAL Pdf Download

View and Download SIGMATEK DM 167 instruction manual online. S-DIAS Digital Mixed Module. DM 167 control unit pdf manual download.

[Hot Item] RTXM167-522/526/528 GPON OLT 1244.16Mb/s

RTXM167-522/526/528 GPON OLT SFP transceiver modules are designed for use in Gigabit-capable Passive Optical Network (GPON) links on up to 20km of single mode fiber.

SIGMATEK DM 167 Digital Mix Manual | Manualzz

This powerful module is designed to enhance the capabilities of industrial automation systems and provides numerous features to simplify your application development and improve system performance.

SIGMATEK DM 167 Digital Mix Product sheet

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

In compliance with the safety-relevant requirements of the BIA, the outputs on the primary (+5 V) and the secondary (+24 V) sides are isolated using optic couplers (according to application class 3,

Applications of Optical Module PCBs in AI Data Centers

Optical modules serve as core components in high-speed optical communication links within AI data centers. Inside an optical module, the PCB serves as the electrical platform for

AI Data Centers Ignite a Laser Shortage Wave; Nvidia''s Strategic

Nvidia''s strategic monopoly on EMLs Beyond VCSELs used in short-reach links, mid- to long-reach optical modules mainly depend on two laser types: EML and continuous wave (CW).

GPON OLT Optical Transceiver SFP Module

The GPON OLT Transceiver is designed for Gigabit-capable Passive Optical Network(GPON)transmission. The module incorporates 1490nm DFB continuous-mode transmitter

Why Arista''s New Optical Transceiver Is a Big Deal

Futuriom Take: Arista''s new XPO module marks a fresh and important take on optical transceiver technology. If it performs in production as planned, it could substantially reduce capex

WTD 373101 SFP RTXM167-526 module Gpon OLT

WTD SFP RTXM167-526 module offers reliable GPON OLT connectivity. With a temperature range of 0°C to 70°C and a 3.3v supply, it''s perfect for networking.|

Optical Communication Industry Trends 2026: AI, 800G/1.6T Optical ...

Explore optical communication industry trends in 2026, driven by AI infrastructure, 800G and 1.6T optical modules, silicon photonics, and next-generation data center connectivity solutions.

GPON OLT SFP C-temp

GPON OLT SFP C-temp Product Overview - RTXM 167-522/526/528 RTXM167-522/526/528 are optical transceivers designed to be used with the GPON OLT SFP C-temp and can cover a 20 km single

Focal Length 6.7-167.5mm 25X Optical Zoom 2MP IP

6.7-167.5mm, 25x Optical Zoom Aperture Range F1.5-F3.4 Horizontal Field of View 59.8-3° (wide-tele) Minimum Working Distance 100mm-1500mm (wide-tele)

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

RTXM167-522/526/528 GPON OLT 1.25G 20km SFP transceiver module

RTXM167-522/526/528 GPON OLT SFP transceiver modules are designed for use in Gigabit-capable Passive Optical Network (GPON) links on up to 20km of single mode fiber. They are compliant with

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved