35kV busbars operating in parallel



Overview

Busway Medium Voltage Non-segregated phase bus is an assembly of bus conductors with associated connections, joints and insulating supports confined within.

Key Takeaways

Parallel connection of 35kV busbars requires careful consideration of electrical, mechanical, and thermal conditions to ensure safe and reliable operation.

Electrical Conditions

Voltage and Phase Matching: Busbars must operate at the same voltage level and phase sequence to prevent circulating currents or phase-to-phase faults. Any mismatch can cause severe overcurrents and equipment damage. Impedance Matching: The parallel busbars should have similar impedance to ensure even load sharing.

Unequal impedance can lead to overloading of one busbar while underutilizing the other, increasing thermal stress and reducing system reliability. Protection Coordination: Busbar differential protection must be installed to detect faults on either busbar and operate quickly to isolate the faulted section without affecting the healthy busbar. Short-circuit current ratings (SCCR) must be verified to handle potential fault currents.

Insulation and Clearance: Adequate insulation between busbars and to ground is essential. For 35kV systems, clearances must comply with relevant standards to prevent flashover, and insulated connection sleeves may be used between sections to maintain a continuous potential-free system.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Mechanical and Thermal Conditions

Busbar Orientation and Spacing: Busbars should be arranged to minimize stray inductance, proximity effects, and attractive forces during normal operation and faults. Typically, the wide sides of busbars are oriented to reduce magnetic forces and optimize heat dissipation. Support and Fastening: Busbars must be supported with fixed or sliding bearings to accommodate thermal expansion and short-circuit forces.

Supports should prevent mechanical resonance at mains frequency and harmonics. Thermal Management: Parallel busbars must be capable of dissipating heat generated by load currents. Adequate spacing and ventilation are required to prevent overheating and maintain conductor integrity.

Operational Considerations

Load Sharing: Continuous monitoring ensures that each busbar carries its designed share of the load. Unequal load distribution can accelerate aging and reduce system reliability. Maintenance and Accessibility: Parallel busbars should allow safe access for inspection, maintenance, and tap-off connections without interrupting the entire system.

Modularity and Extendibility: Sections of busbars can be modular to facilitate installation, transport, and future expansion. Insulated connection sleeves between sections ensure continuity and safety.

Summary

To safely connect 35kV busbars in parallel, ensure voltage and phase alignment, impedance matching, proper protection, adequate insulation, mechanical support, thermal management, and load sharing. Following these conditions minimizes fault risks, mechanical stress, and thermal overload, ensuring reliable high-voltage power distribution.

Article Content

Busway Medium Voltage

Non-segregated phase bus is an assembly of bus conductors with associated connections, joints and insulating supports confined within a metal enclosure without interphase barriers. The conductors are

Bus Protection Theory

Multiple segment busbars, such as double busbar and triple busbar arrangements, are used to balance loads between various transmission circuits, minimize the physical space required for a substation,

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Six common bus configurations in substations up to 345 kV

This technical article explains six most common bus configurations used for distribution, transmission, or switching substations at voltages up to 345 kV. Presented single line diagrams and

Bus Bar Theory of Operation

When a cutout (hole or slot) is placed in the center of the bus bar, the current is split in two equal parts. Each side of the cutout will generate magnetic field gradients that oppose one another inside the cutout.

Calculations of Electrodynamic Forces in Three-Phase Asymmetric

Calculations were conducted with an ANSYS model of a parallel asymmetric busbar system, which confirmed the obtained results.

Substation Components—Part 5: Busbar Configurations

Table 1 below presents a qualitative comparison of various busbar configurations based on key operational parameters, including reliability, maintenance flexibility, and expandability.

Copper for Busbars

Although busbar systems should normally be designed for lowest lifetime cost – which means a lower working temperature to reduce waste energy costs – the ability of copper to maintain its mechanical

Medium Voltage technical guide

The operation voltage (kV) of the installation determines the phase to phase and phase to earth distance and also determines the height and shape of the supports.

Flexible Busbar Solution for High Current Density Applications

As showed in Figure 4, when the cross sectional area is smaller than 150 mm2, there are small ampacity differences between cable and busbar; but when the cross sectional area is larger than 150 mm2,

Bus Bar Theory of Operation

Another potential issue with using the horizontal PCB layout orientation when two or more bus bars are placed in parallel in the y-axis is the possibility of saturation.

BUSBAR PROTECTION

Concerning busbar differential and for simplicity a simple bus with four feeders in the protection zone are shown. Multiple circuits exist for the components connected to busbars, but the principle is the same.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Power busbar design, relax, don''t blow your fuse.

Power busbars are the major arteries and veins that deliver and distribute power from the sources to the loads. Consequently, power busing design needs critical consideration in terms of

Busbar Design for High-Power SiC Converters

Busbars are critical components that connect high-current and high-voltage subcomponents in high-power converters. This paper reviews the latest busbar design

Parallel Operation of Alternators Explained | PDF | Science ...

The document discusses parallel operation of alternators. It covers topics like synchronizing, infinite bus bars, synchronizing current, and conditions that must be satisfied to connect an alternator in parallel.

Medium Voltage technical guide

Introduction b The dimensions of busbars are determined taking into account normal operating conditions. The operation voltage (kV) of the installation determines the phase to phase and phase to

best practice

As part of my research, I''m doing calculations on a hypothetical high-current (4000 A) medium-voltage (5000 V) DC power transmission system using two parallel busbars. However, I

Agrawal-28New

Wrapping skin tight PVC sleeve over busbars is not safe as it may bear cuts and cracks while sliding over the busbars. A perfect insulation as noted, is a pre-requisite for safe operation of sandwich

What is Electrical Busbar? Types, Advantages,

A busbar is a metallic bar in a switchgear panel used to carry electrical power from incoming feeders and distributes to outgoing feeders.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved