
Are cable trays considered seismic-resistant supports



Overview

For rigid cable trays, it is established that the seismic supports should be spaced no more than 12 meters apart. Additionally, longitudinal seismic supports should not exceed a spacing of 24 meters.

Key Takeaways

Standard cable trays are not inherently seismic-resistant; they require proper seismic design and bracing to withstand earthquake forces.

Seismic Considerations for Cable Trays

Cable trays, by themselves, are designed primarily to support electrical cables under normal gravity and service loads. In regions prone to earthquakes, these trays are exposed to lateral forces, vertical acceleration, vibration, and building drift, which can cause tray movement, bending, or failure if not properly designed. Standard supports without seismic reinforcement may not prevent damage to cables or interruptions to critical systems during seismic events.

Importance of Seismic Bracing

To make cable trays seismic-resistant, seismic braces are often required. These braces attach the tray system to structural members, allowing controlled movement during an earthquake while maintaining stability. Bracing can be rigid or cable-based, designed to resist lateral, longitudinal, and uplift forces.

Properly engineered bracing ensures that trays remain upright, connections stay secure, and cables are protected from damage.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Material and Design Factors

The choice of material and tray type affects seismic performance. Steel trays offer high strength and can withstand significant seismic forces, while aluminum trays are lighter and corrosion-resistant but may require careful sizing and bracing. Tray design, including side rail thickness, cross-member spacing, and splice joints, must be engineered to handle expected seismic loads.

Ladder trays are often preferred for primary distribution in high-seismicity areas due to their structural stiffness and efficient weight-to-strength ratio.

Regulatory Requirements

Building codes in earthquake-prone regions, such as California, Japan, or parts of South America, often mandate seismic bracing for cable trays, especially for critical systems like hospitals, data centers, and emergency power facilities. Compliance with standards such as the International Building Code (IBC) and ASCE 7 ensures that cable tray systems maintain integrity during seismic events.

Key Takeaway

While cable trays support electrical cables under normal conditions, they are not automatically seismic-resistant. Achieving seismic resistance requires careful selection of tray type, materials, and installation of engineered seismic braces to protect both the tray and the cables during earthquakes.

Article Content

Understanding the Seismic Resistance of Cable Trays

For critical systems such as medical equipment in hospitals, communication lines in data centers, and power supplies in emergency facilities, cable trays must be able to resist seismic forces

Understanding Seismic Support for Electrical Installations

For rigid cable trays, it is established that the seismic supports should be spaced no more than 12 meters apart. Additionally, longitudinal seismic supports should not exceed a spacing of 24 meters.

Cable Trays Seismic Design: Protecting Power in

Learn how I approach Cable Trays Seismic Design to protect power and data in earthquake-prone areas. Understand key principles, methods, and

The 14th World Conference on Earthquake Engineering

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Since the facilities were located in a area of high seismicity, the cable tray system was required to be braced to resist seismic forces. In addition, the owner of the facility imposed additional design criteria

Cable Tray Checklist for High-Seismicity Projects

The most important lesson for seismic cable tray design is simple: do not treat seismic performance as an accessory. It is a core design requirement for nonstructural electrical systems in

What are the seismic design considerations for cable trays?

Steel cable trays offer excellent strength and can withstand large seismic forces, but they are relatively heavy. Aluminum cable trays, on the other hand, are lightweight and corrosion-resistant, making

Seismic MEP Solutions | Eaton

Eaton''s TOLCO seismic bracing solutions help protect people and non-structural components during an earthquake. For over 60 years, the mechanical, electrical, and fire protection trades have relied on

Cable Tray and Conduit System Seismic Evaluation Guidelines

The checks of the analytical review guidelines are formulated to ensure that cable tray and conduit supports are seismically rugged, consistent with the above observations from the seismic experience

Deepening the Seismic Support System for Cable Trays

Since the facilities were located in a area of high seismicity, the cable tray system was required to be braced to resist seismic forces. In addition, the owner of the facility imposed additional design criteria

Performance-based optimum seismic design of cable tray system

The seismic performance levels of cable tray systems are presented according to current seismic design codes. A performance-based optimum seismic design procedure for cable tray

What are the seismic design considerations for cable

As a cable tray supplier, it is our responsibility to ensure that our products comply with the relevant codes and standards. We work closely with engineers and

Cable Tray Spacing Standards for Installation and Safety

Key Factors Impacting Cable Tray Spacing Understanding cable tray spacing is key to meeting safety regulations and maintaining system

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Cable Tray Technical Guide A practical guide to product selection and ...

Cable tray is considered to be a system. It must provide continuous support for cables, and the electrical continuity of the cable tray system must be maintained.

Performance-based optimum seismic design of cable tray system

The results show that the proposed performance index (drift ratio between adjacent supports) for cable tray systems is a reasonable criterion for performance-based seismic design and

SEISMIC ANALYSIS AND DESIGN OF ELECTRICAL CABLE TRAYS AND SUPPORT

SUMMARY Electrical cables constitute one of the vital systems of power plants, as they are relied upon for the monitoring, control and operation of a great number of safety-related equip- ment. This

Circuit Integrity of Cable Tray Wiring Systems During Natural Disasters

For those installations, Seismic Restrained Cable Tray Wiring Systems may be obtained by providing the proper multidirectional bracing for the cable tray supports. Fig. 1 The 0 to 4 values show the

Verification of Japanese seismic design guidelines for suspended cable ...

In this study, the dynamic behavior of a suspended cable tray system was investigated through testing with a large earthquake shaking table. Moreover, a reinforcement method is proposed to improve

Seismic Supports for Electrical Cable Systems

Seismic Category I supports for electrical conduit and cable tray systems are described. Types of supports and their analysis, design, and installation are also presented. Approximate formulas for

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved