High Beam Linkage Module

Overview

With just one normally closed (nc) or normally open (no) light level input – such as an infrared probe, through-beam sensor, or emergency button – you can trigger a high-voltage switch (nc will have the same effect) on the other end. it also features precise delay, allowing the. The CANM8 CANNECT HIGHBEAM-4 interface is a 4 output CAN Bus interface which provides a quick solution for detecting high beam activity on vehicles which feature CAN Bus wiring. The HIGHBEAM-4 interface also features outputs for ignition-on, side lights and reverse gear. the former is labor-intensive and. : since new arrival, the reset slot switch has been plugged into the wiring, the alarm state is short-circuited and the reset slot switch wire is short-circuited, the relay is released, and the voltage output stops. the linkage switch represents the time adjustment and needs to be re-energized. Highly compact module to reduce headlamp size while allowing to extend signalling function all around. Outputs 12v (1A max) when the high beam is active.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Article Content

CAN Bus High Beam Interface | CANNECT HIGHBEAM

The CANM8-HIGHBEAM-3R is a CAN Bus interface which provides outputs for High Beam, Ignition-On and Reverse Gear. Installation is quick and simple with only 4

Infrared Beam Alarm Light Linkage Controller/Light Module/Alarm

With just one normally closed (nc) or normally open (no) light level input – such as an infrared probe, through-beam sensor, or emergency button – you can trigger a high-voltage switch (nc will have the

Through-Beam Alarm Dual Output Linkage Module High and Low

There is a optocoupler module at the input end of this product, not only supports all dry contact switch triggering, but also supports 5-24v voltage signal high level triggering, optocoupler has been

Thinbilite automotive lighting module

What is Thinbilite lighting module? Thinbilite is an ultra-compact automotive lighting module, a thin bi-function module with lens height about

Automatic High Beam Control Circuit for Automobiles

It uses a sensor to detect approaching headlights and automatically dims your high beams to a less glaring low beam setting. This improves visibility

CAN Bus High Beam Interface | CANNECT HIGHBEAM

The CANM8 CANNECT HIGHBEAM is a CAN Bus Interface that provides a quick solution for detecting High Beam Activity, for the installation of additional driving

90mm Bi-LED High and Low Beam Headlight Module

The 90mm Bi-LED headlights incorporate both the high and low beam into one projector module. One light source for each side of the vehicle. Features/Benefits

Linelens headlamps

LineLens is an automotive lighting module, a thinner solution as possible for low-beam and high-beam lighting. The LineLens headlamp will

Can Bus control unit for high beam and position light including ...

Together with the included contactless CAN-Bus reader, the system detects the vehicle''s high beam, ignition and position light signals without damaging the factory wiring. This is ideal for vehicles where

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

H4/9003 High Beam Light Fix Module

Designed – We have designed and produced these polarity canceller modules in-house to create a simple plug-and-play solution for all vehicles using an industry standard H4/9003 headlight plug that

Beijer High Beam Trigger Output for Driving Lights and Spotlights

Beijer Automotive BCI-6HB High Beam Trigger Output for Driving Lights and Spotlights Are you looking to add in spotlights to your vehicle and want to make the installation as seamless as possible? This

CANM8 Cannect Highbeam Output Interface

The CANM8 CANNECT HIGHBEAM interface is a single output CAN Bus interface which provides a quick solution for detecting high beam activity on vehicles that

Headlight Circuit Evolution

Fig. 1 above shows a quad sealed-beam headlamp circuit for a U.S.-spec passenger car from about 60 years ago. Note that there are no fuses, relays or control modules in the circuit, and the high/low

CANM8 CANNECT High Beam Output Interface

The CANM8 CANNECT Highbeam C8NECT interface allows connection of aftermarket lightbars and driving lights to modern digitally controlled vehicles..

Focuslight Announces Pulsed Laser Line Beam Transmitter Module for Beam ...

Prev The new Focuslight BeamRazor™ LE02 pulsed laser line beam transmitter module is designed for beam steering LiDAR systems with steering mirrors or MEMS, as well as

Install Guide

Quicklinks Request a product How to Order Shipping, Returns & Warranties Australian 4x4 Roof Racks About Contact us

CAN Bus Module

TrailMax CAN Bus Module enables legal wiring of driving lights/light bars. Easy to install, compact housing, uses vehicle CAN data, low/high beam outputs.

CAN-Bus High Beam Module – Smart Trigger

Integrate auxiliary lights seamlessly with this smart CAN-Bus high beam module. Designed for vehicles with digital headlight systems.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved