Honduras Dual-Port Information Panel Upgrade Version

Overview

The system update is not fully complete until we have received a Report file. Your vehicle may have the latest software, but we will not know that you have completed the update.

Key Takeaways

Upgrading the Honduras Dual-Port Information Panel requires verifying firmware versions, using the correct client card firmware, and following a step-by-step update procedure to ensure proper operation.

Firmware and Client Card Requirements

To perform the upgrade, ensure the Artist client firmware is version 5010, 5105, or higher. The client card firmware must match the panel type and port configuration. For example, client card firmware 5106Q03 supports turning fonts inside 2000-series panels, while higher versions may be required for newer panels.

The panel's current firmware can be checked by powering it on without connecting it to the frame; the bottom-left key will display the monitor (MV) and artist (AV) firmware versions.

Upgrade Procedure

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Select the Node and Port: Open the Artist client, select the node corresponding to the panel, and choose the port to update. Update Firmware: Press the “Update” button to start the process. Ensure the panel remains powered on throughout the update; interrupting the process may require returning the panel to Riedel Customer Service for reprogramming.

Panel Reboot: After the update completes, the panel will automatically reboot. Confirm the update by checking the firmware version displayed on the panel. Character Set Installation: If installing a new character set, perform a panel reset and follow the key sequence: press SHIFT, OPT, and NORM simultaneously, then press OPT and “INI-FONT” to load the new font.

Font Orientation Fix: For Danner panels (DBM1004, DEM1006), if the font appears rotated 180°, use node firmware 6v55 or client card firmware 5106Q03 to correct the orientation.

Compatibility and Precautions

Always save the Artist system configuration before starting the update. Ensure the Director version is compatible with the client card firmware; for example, Director 52xx may not support 5106Qxx firmware, requiring Director5101. Maintain a network connection during the update to allow online updates of the client card.

For dual-port HSSI adapters like Cisco PA-2H, ensure the correct revision (Rev. B) is installed, as older models may need replacement.

Each HSS

I port supports full-duplex high-speed synchronous serial communication up to 52 Mbps, and proper cabling is essential for reliable operation. Following these steps ensures a successful upgrade of the Honduras Dual-Port Information Panel, maintaining compatibility with the system and avoiding operational interruptions.

Article Content

OTA USB Website

The system update is not fully complete until we have received a Report file. Your vehicle may have the latest software, but we will not know that you have completed the update.

Image Downloads for SIMATIC HMI Operator Panels: Unified

Depending on the WinCC (TIA Portal) version, there is a WinCC image setup that contains the image files for all the associated Operator Panels. The WinCC image setup contains a "Setup

Image Downloads for HMI Operator Panels

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

The image version installed on the Operator Panel must always be compatible with the WinCC (TIA Portal) version used. The following PDF document describes everything related to the

USB Updating

From the Home screen, select System Updates, then via USB. Connect a USB drive into the front (right side *1) USB port (see USB Port). Once the system finishes copying to the USB drive,

How To Update Honda Software?

Keeping your Honda''s software up-to-date is crucial for optimal performance and security. This article provides a definitive guide on how to update Honda software, ensuring your

Siemens Product Information

The image version installed on the Operator Panel must always be compatible with the WinCC (TIA Portal) version used. The following PDF document describes everything related to the

USB Update → Digital Instrument Cluster | Offline Local ...

Update your digital instrument cluster via USB (offline/local package) — no internet required. This guide covers USB formatting, correct file naming, upgrade steps, and quick fixes.

How To Update Honda Infotainment System Easily

Access the infotainment system menu and navigate to the ''Settings'' tab, then look for options like ''System Update'' or ''Software Update.'' Follow the prompts to select the update files stored on your

Siemens Product Information

Depending on the WinCC (TIA Portal) version, there is a WinCC image setup that contains the image files for all the associated Operator Panels. The WinCC image setup contains a

February 2025 Flashcards in Roshann KN''s MCQs: UPSC

Study February 2025 flashcards with questions like: Which of the following is not a common characteristic of Ultra-Processed Foods (UPFs)?

Honduras International Travel Information

Visit the Embassy of Honduras website or any of the Honduran consulate websites for the most current visa information. Special Requirements for Minors: Under Honduran law, children

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Updating Operating System of a Unified Comfort Panel with TIA Portal ...

Updating Operating System of a Unified Comfort Panel with TIA Portal | Upgrade Firmware of your HMI AutomationStation 5.67K subscribers 104

Image Downloads for HMI Operator Panels

Operator Panel Images Operator Panel images contain the operating system for thr Operator Panels. The image version installed on the Operator Panel must always be compatible with

Upgrade and Release information for PanelView 800 and PanelView

Each time a firmware version is released the release notes for the PanelView 800 and PanelView Component are updated on the Product Compatibility and Download site.

Image Update / Operating System Update for SIMATIC HMI Operator Panels

Whenever the WinCC (TIA Portal) version you used to configure the HMI Operator Panel does not match the image version installed on the HMI Operator Panel, you must adjust the image file on the

How do you do a SIMATIC HMI operating system update (firmware

Below we provide you with an overview of when you must update an operating system and how to do the update depending on the software used.

Unified Comfort Panel Image Update

How do you update the Image version of the Unified Comfort Panel? When updating Image, make sure that the Image version of the Unified Comfort Panel matches the Engineering

HONDA 7 INCH TO 9 INCH SCREEN UPGRADE

In this video, I will show you how to upgrade your base LX or Sport model 7 inch Honda HR-V display screen to the EX-L model 9 inch system. This requires a ...

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved