How to set the aperture for optical cables in Zemax

Overview

Setting aperture data for each surface is done in the Aperture section of the Surface Properties window. The circular, rectangular, and elliptical apertures and obscurations are easy to use and cover common cases. OpticStudio supports a general user specified aperture defined by a series of line segments, arcs, circles, polygons. In this detailed tutorial, we cover the process of setting up the System Explorer in Zemax OpticStudio, a key tool for managing global parameters of your optical system. Whether you're working on optical design, lens design, or general optical system design, understanding how to configure the Syst. How to define numerical aperture for multimode fiber in non-sequential mode?

How to define numerical aperture for multimode fiber in non-sequential mode?

I am doing light collection using multimode optical fiber. I have designed fiber in non-sequential mode using the object type "cylinder volume". For more information, you can navigate to "The Setup Tab > Editors Group (Setup Tab) > Lens Data Editor > Surface Properties > Aperture (surface. Any optical system to be simulated in Zemax requires user input for the aperture.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Article Content

Aperture (surface properties)

To define a user defined aperture or obscuration, select the desired type (aperture or obscuration) from the list of aperture types. The "Aperture File" control will list all available user defined aperture (UDA)

User Defined Apertures and Obscurations

To define a user defined aperture or obscuration, select the desired type (aperture or obscuration) from the list of aperture types. The "Aperture File" control will list all available user defined aperture (UDA)

Zemax Opticstudio Tutorial | Setting up the System Explorer Pt 7

Learn how to adjust key system parameters such as wavelength, field of view, and aperture for optimal optical performance.

How to define numerical aperture for multimode fiber in non ...

I am doing light collection using multimode optical fiber. I have designed fiber in non-sequential mode using the object type "cylinder volume" . Is the...

How to create User Defined Aperture correctly?

How to create User Defined Aperture correctly? In some case, our modeling requirements may not be met with normal circular or rectangular apertures, we can use User Defined Aperture

Zemax tutorial

Any optical system to be simulated in Zemax requires user input for the aperture. The "aperture type" is specified via the general dialog box.

Zemax & Optics Essentials: Learn Imaging the Easy Way

Navigate the Zemax interface for sequential optical systems, using system explorer and lens data editor to set wavelength, aperture, and field of view, and apply optimizers to refine image quality.

Zemax Knowledge Base – Ansys Optics

In the Zemax OpticStudio Knowledge Base, you will find step-by-step guides for users of every skill level. Start here for learning how to use and apply the software.

Mastering Zemax for Optical Design

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Launch Zemax and select "File" > "New" to create a new project. Choose the type of design you want to create, such as a lens or a mirror system. Define the system parameters,

Aperture Type

Only one type of system aperture may be defined per configuration; for example, once the Entrance Pupil Diameter is specified, all the other aperture definitions are determined by the lens data

~brandl/OBSTECH/Zemax_intro.html

Defining System Settings Most frequently, the system aperture is the first parameter which is defined when starting a new design. The system aperture not only defines the size of the beam which

Mastering Zemax for Optical Design

Unlock the full potential of Zemax in optical design with our in-depth guide, covering key features and best practices.

Optical Design Program User''s Manual July 8, 2011

Radiant ZEMAX LLC (RZ) provides this publication "as is" without warranty of any kind, either express or implied, including but not limited to the implied warranties or conditions of merchantability or fitness

How to create apertures in Non-Sequential Mode – Ansys Optics

This article describes two different procedures to apply an aperture on an object in Non-Sequential Mode. One method allows the user to create a User Defined Surface that is defined by a series of

Zemax Knowledge Base – Ansys Optics

Zemax Knowledge Base Ansys Zemax OpticStudio is a trusted optical design and simulation software that delivers reliable results for high-precision optical systems. OpticStudio enables engineers to take

Exploring Physical Optics Propagation (POP) in

We will now look at using Physical Optics Propagation to model near field diffraction effects that occur when a uniform beam is truncated by an aperture. Open the file

Introduction To Lens Design With Practical Zemax Examples

By integrating theoretical knowledge with hands-on Zemax examples, this guide serves as a valuable resource for those seeking to enhance their skills in lens design and optical engineering. The content

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Zemax Mixed Mode for Beginners: Combining Sequential and Non

Zemax mixed mode simulation lets you combine sequential and non-sequential ray tracing in a single model. This is useful when part of your optical system follows a straightforward

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved