Huawei S5730S Gigabit Optical Module

Overview

S5730S-48C-PWR-EI is a 3-layer gigabit Ethernet switch with 24*PoE+ 10/100/1000BASE-T ports 8*10GE SFP+ ports. It provides flexible all-gigabit access and cost-effective fixed 10G uplink interfaces, while also offers one sub-slot for 40GE uplink port expansion. Table 4-976 lists the mapping between the S5730S-68C-PWR-EI chassis and software versions. To restore the factory settings and reset the switch, hold down the button for at least 6 seconds. Based on cutting-edge hardware and Huawei Versatile Routing Platform (VRP) software, the S5700 provides a large switching capacity, high reliability (double power slots and hardware Ethernet OAM), and high-density GE ports to accommod te 10 Gbit/s upstream. HUAWEI TECHNOLOGIES CO. Copyright © Huawei Technologies Co. All other trademarks and trade names mentioned in this document are the property of their respective holders.

Article Content

S5730S-68C-PWR-EI

It has two power module slots, each of which can have a 500 W, 650 W, 1150 W, or 1000 W (applicable in V200R013C00 and later versions) power module installed. A 500 W AC power module and a 650

S5730S-48C-EI-AC

It can be configured with a single power module or double power modules for 1+1 power redundancy. Pluggable AC and DC power modules can be used together in the same switch.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

S5730S-48C-PWR-EI Datasheet Overview

Overview Ethernet multi-service aggregation. Based on cutting-edge hardware and Huawei Versatile Routing Platform (VRP) software, the S5700 provides a large switching capacity, high reliability

OPTICAL MODULES FOR HUAWEI S SERIES SWITCHES

If an optical module is installed in a running switch, you can run the display transceiver command to view parameters of the optical module, including the center wavelength, transmission distance, fiber types

S5730-SI Series Standard Gigabit Ethernet Switches

The S5730-SI series switches are next-generation standard gigabit Layer 3 Ethernet switches that provide flexible all-gigabit access and cost-effective fixed GE/10GE ports as well as 40GE uplink ports.

Huawei S5730S-68C-EI-AC Switch 48xGE 8x10GE

Deploy Huawei S5730S-68C-EI-AC for high-density Gigabit access and 10G uplink aggregation. Optimize campus or enterprise edge now.

Huawei S5730S-48C-PWR-EI S5700 Layer 3 Switch 24

To restore the factory settings and reset the switch, hold down the button for at least 6 seconds. To reset the switch, press the button. Resetting the switch will cause

HUAWEI S5700/S5710/S5720/S5730 Series Switches

Each downlink port with a CSFP GE optical module and a pair of fibers can provide 2 Gbit/s bidirectional bandwidth, which is twice the bandwidth of a standard SFP optical module.

Optical Modules Market Research Report 2034

Optical Modules Market Outlook 2025-2034 The global optical modules market was valued at $14.8 billion in 2025 and is projected to reach $39.6 billion by 2034, advancing at a compound annual

Huawei S5730S-48C-EI-AC Switch 24xGE RJ45 8x10G

Deploy Huawei S5730S-48C-EI-AC for high-density GE access and 10G uplinks, ideal for campus or aggregation. Optimize port use and plan capacity.

Types of Optical Modules

Huawei S series devices support optical modules of the following encapsulation types: CFP, QSFP+, QSFP28, XFP, SFP, eSFP, and SFP+. All optical modules are hot swappable.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Huawei S5730-HI Series Switches Datasheet

OVERVIEW Huawei S5730-HI gigabit Ethernet switches (hereinafter referred to as the S5730-HI) are Huawei-developed next-generation agile switches that provide fixed full gigabit access and 10 GE

Industrial Optical Modules

Cards Cables Pluggable Modules for Interfaces Important Notes About Using Optical Modules Certified for Huawei Switches Understanding Optical Modules Understanding Copper

Optical Modules for Huawei S Series Switches

A switch must use optical or copper modules that have been certified for use on Huawei switches. Non-certified optical or copper modules cannot ensure transmission reliability and may affect service

S5730S-48C-PWR-EI-DC Huawei Brand New Power Module Equipped

The S5730S-48C-PWR-EI-DC Huawei is a next-generation enterprise-class Layer 3 switch designed for high-density gigabit access and powerful Power over Ethernet.

CloudEngine S5731-S Series Switches | Huawei

The CloudEngine S5731-S series offers a range of standard gigabit access switches, with all-GE electrical/optical ports and fixed 10 GE uplink ports. Built on

S5730S-48C-PWR-EI

S3700&S5700&S6700 Series S5730S-48C-PWR-EI: Access product manuals, HedEx documents, product images and visio stencils.

CloudEngine S5732-H Series | Huawei Enterprise

Huawei CloudEngine S5732-H Series Hybrid Optical-Electrical Switch offer 2.4 Tbit/s switching capacity and long distance access for Wi-Fi 6 APs. Learn more.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved