

Italian SFP Optical Module EML



Overview

Find top eml optical transceivers with 10km range, QSFP28, and EML tech. Compare verified suppliers, pricing, and specs. Click to explore 2026's best options now.

Key Takeaways

EML SFP optical modules are high-performance transceivers designed for medium- to long-distance fiber-optic communication, offering clean high-speed modulation and distances up to 80 km.

Overview of EML SF

P ModulesEML (Electro-absorption Modulated Laser) modules integrate a laser diode with an external modulator on the same chip, providing precise, high-speed signal modulation suitable for long-distance transmission.

Unlike VCSEL or DM

L lasers, EML modules handle chromatic dispersion better and maintain signal integrity over tens of kilometers, making them ideal for metro, regional, and long-haul networks. These modules often include a Thermoelectric Cooler (TEC) to stabilize laser temperature, ensuring consistent performance across varying environmental conditions. They are typically available in SFP+ form factors, supporting data rates from 10 Gbps up to 16 Gbps, depending on the model.

ApplicationsTDM and Long-Haul Links: EML SFP+ modules are used in TDM networks with ER (40 km) and ZR (80 km) models, suitable for fiber links with high insertion loss or distances exceeding 30 km.

CWD

M Networks: EML modules can be combined with CWDM multiplexers to transmit multiple 10G channels over a single fiber, improving fiber utilization and reducing deployment costs.

High-

Speed Data Centers and Metro Networks: EML modules are preferred for 10G to 800G applications where signal clarity and long reach are critical, outperforming directly modulated lasers in high-speed scenarios.

Technical Features

Wavelengths: Typically 1310 nm or 1550 nm for single-mode fiber, compatible with ITU-T G. 652 SMF standards. Transmission Distance: Up to 80 km for ZR models; ER models support 40 km.

Power Supply: Standard +3.3V, hot-pluggable SFP+ footprint. Diagnostics: Support for SFF-8472 digital diagnostics for real-time monitoring of temperature, voltage, and optical power.

Safety Compliance: Class 1 laser safety standards, IEC-60825, FDA/CDRH compliant. Comparison with Other Laser Types VCSEL: Cost-effective, short-reach (up to ~300 m at 10 Gbps), ideal for data centers.

DM

L: Moderate reach (up to 10 km at 25 Gbps), lower cost than EML but more susceptible to chromatic dispersion.

EM

L: Best for long-reach, high-speed links; higher cost but superior signal quality and distance.

Summary

Italian SF

P optical modules using EML technology provide a reliable solution for medium- to long-distance fiber networks, offering high-speed, low-distortion transmission. They are particularly suited for CWDM, TDM, and metro/regional applications where performance and distance are critical. While more expensive than VCSEL or DML modules, their precision and reach make them indispensable for demanding optical networks.

Article Content

100G to 1.6T Optical Module PHY Product Selection Guide

100G to 1.6T Optical Module PHY Product Selection Guide Broadcom's Optical Module PHY portfolio spans multiple technology nodes — 16nm, 7nm and now 5nm, with data rates from 100 Gbs to 1.6

eml optical transceiver: Best 2026 Picks

Find top eml optical transceivers with 10km range, QSFP28, and EML tech. Compare verified suppliers, pricing, and specs. Click to explore 2026's best options now.

chad LS-SM5510-A2C SFP+ 10GBASE-ZR 1550nm 120km DOM

LINK-PP LS-SM5510-A2C SFP+ 10GBASE-ZR SMF Optical Transceiver Module (SMF, 1550nm, 120km, LC, DOM) The LS-SM5510-A2C SFP+ transceivers are high performance, cost effective

10G Optical Transceiver,10G SFP+ Transceiver Manufacturer

10G SFP + optical fiber transceiver module,supports 10Gb/s and supports 100 km transmission,including: SFP + SR,SFP + LR,SFP + ER,SFP + ZR,etc itable for network

Applications Of 10G EML SFP+ Products

This design enables 10G EML modules to achieve a maximum transmission distance of 80 km. Below is a brief introduction to three applications of EML products and Moduletek's 10G EML

JFOPT SFP+ 16G CWDM Transceiver 10/40km | 16G/8G/4G FC

This module is optimized for single-mode fiber and operates at nominal CWDM wavelengths from 1470nm to 1610nm, with 20nm steps between each wavelength. It offers a guaranteed optical link

Optical Transceiver Module Wholesale,10g/25g/40g/100g SFP

Fiber optic module manufacturer,ETU-Link supply full model optical transceivers,including standard 8g/10g/25g/40g/100g sfp+ optical modules and copper RJ45 transceiver,wholesale at factory price!

EML vs VCSEL vs CW Laser: Optical Transceiver Guide (2025)

Compare EML, VCSEL, and CW laser technologies in optical transceivers. Covers cost, reach, speed, the 2025 EML shortage, and silicon photonics alternatives.

Understanding EML Chips: Key Components for High-Speed Optical ...

Electro-Absorption Modulated Laser (EML) chips are critical components in modern optical communication systems, enabling high-speed data transmission with low power consumption

Buy Transceivers – SFP, SFP+, and QSFP Modules

Transceiver Modules SFP Transceiver Modules Here you can find SFP, GBIC and all other types of modules for multi-mode as well as single-mode fiber-optics,

How to distinguish whether an optical fiber module is single-mode or ...

Correctly distinguishing single-mode and multi-mode optical modules is critical for matching fiber patch cords, ensuring transmission stability, and avoiding network failures.

Nokia 3HE11023AAAA01 10GBASE-SR SFP+ Optical Transceiver

The Nokia 3HE11023AAAA01 is a genuine original 10GBASE-SR SFP+ short-range optical transceiver, manufactured by Finisar for Nokia. Designed for high-speed 10 Gigabit Ethernet networks, this

2026 Global Optical Module Selection Guide (Website Homepage)

Compatibility First: Confirm port type (SFP+/QSFP-DD), firmware version, and MSA standards. Cost Optimization: Silicon photonics / LPO for short reach; EML for long haul; bulk orders

SFP, SFP+, And QSFP Form Factor Standards

EXECUTIVE SUMMARY This document serves as the definitive technical reference for the Small Form-Factor Pluggable (SFP), Enhanced Small Form-Factor Pluggable (SFP+), and Quad Small Form

100Gbps QSFP28 LR4 Optical Transceiver Module for Data Centers

Product Description Optical Transceiver Module 100Gbps QSFP28 LR4 10Km SFP for Data Center FTTH FTTX 100Gbps QSFP28 LR4 10Km SMF Optical Transceiver TKQS28-100G-LR4 is a

200G Modules

Testing Modules & Tools Smart Optical Transceiver BOX GIGALIGHT provides the smart box tools for online coding of SFP, XFP, SFP+, QSFP+, and QSFP28 optics, as well as wavelength tuning for 10G

France H3C C40 DWDM-SFP10G-45.32-40-I Compatible LS-DW4010-40I SFP+

France H3C C40 DWDM-SFP10G-45.32-40-I Compatible LS-DW4010-40I SFP+ 10G DWDM 1545.32nm 100GHz 40km DOM Duplex LC/UPC SMF Optical Transceiver Module (Industrial)

City product details-LINK-PP

Iran LQ-LW100-ZR4I 100GBASE-ZR4 QSFP28 1310nm 80km DOM Duplex LC/UPC SMF Optical Transceiver Module (Industrial) Link-PP offers a growing portfolio of 100G QSFP28/SFP-DD modules.

Contact Us

Continue your research online:

Website: <https://ensaa.es>

Technical inquiry: <https://ensaa.es/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

