OM5 Low Insertion Loss Splitter Distributor



Overview

[Wide Frequency Range] Operating from 100khz to 150mhz, the rf isolator offers minimal insertion loss (80db) and excellent output to output isolation (>60db). Optical splitters and couplers split or combine light—distributing signals injected into a single fiber strand to multiple fibers, enabling point to multi-point communication in Fiber To The Home (FTTH) networks based on ITU. T PON standards such as GPON, XGS-PON and new 25 and 50G standards. High-volume specialists: Qingdao Applied Photonic combines large-scale facilities (14,000m²) with near-perfect delivery rates, ideal for orders exceeding 10,000 units. Agile innovators: Ningbo FB and Shenzhen Wirenet offer rapid prototyping despite smaller footprints, reflected in >38% reorder. [Common Mode Interference Suppression] Equipped with an isolator at the input, this isolating distributor effectively suppresses common mode interference and power ground line interference. [Versatile Applications] Widely applicable to devices requiring output distribution and isolation such as rf. Note: All specifications exclude the water absorption region centered around 1383 nm. *Test at central wavelength only. There would be an unused termination port around 20cm for 1x2 version. All specifications are before. 2-Way, 3-way, 4-way, 6-way, 8-way, 10-way, 12-way, 16-way and up to 24-way models for 50 Ohm and 75 Ohm systems from DC to 67 GHz! Over 500 models in stock! 20W power handling. Mini-Circuits is a global leader in the design and manufacturing of RF, IF, and microwave components from DC to 86GHz.



© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Article Content

Optical Splitter Distributor: Reliable & Customizable Solutions

Find top optical splitter distributors with customizable options, low insertion loss, and high return loss. Explore verified suppliers for FTTH, PON, and fiber optic networks.

Active RF Isolation Splitter Distributor 100 kHz to 150 MHz 50

[Wide Frequency Range] Operating from 100khz to 150mhz, the rf isolator offers minimal insertion loss (80db) and excellent output to output isolation (>60db). [Common Mode Interference Suppression]

2x2) 1310nm (1550nm) Single Mode Ultra-Broadband Splitter1x2 (

There would be an unused termination port around 20cm for 1x2 version. Note:1. Central wavelength can be customized for different applications. 2. All specifications are before connectors and are

RF Power Splitters/Dividers,RF Power Combiners

Mini-Circuits is a global leader in the design and manufacturing of RF, IF, and microwave components from DC to 86GHz.

Active RF Isolation Distributor

□Wide Frequency Range□: Operating within a frequency spectrum of 100kHz to 150MHz, this RF signal isolator demonstrates minimal insertion loss of less than 0.8dB, with outstanding input to

Understanding Power Splitters

power splitter would therefore be 1/4 or 6dB below the signal power originally applied to port S. In a practical power splitter/combiner where R int does not exactly equal the impedance across the

PLC Splitters | OEM Optical Communication Solutions | Corning

Corning''s QuickPath™ PLC optical splitters reduce insertion loss and deliver high performance. These devices enable more effective monitoring and management of optical networks. They are available

Fiber Couplers/Splitters/Combiners

Fusion couplers, made by melting a section of twisted fibers, offer the lowest insertion loss (~0.3 dB) and highest power handling, with a limited wavelength bandwidth of ±40 nm and polarization extinction

All About RF Power Splitters

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Wilkinson Power Splitters: Wilkinson power splitters are widely used in RF and microwave systems due to their excellent performance characteristics. They provide low insertion loss, good

AUNMAS Active RF Splitter Isolation Distributor Minimal Insertion Loss ...

It offers minimal insertion loss (80dB), and outstanding output to output isolation (>60dB). 3. INPUT WITH ISOLATOR: The RF distributor is equipped with an isolator at the input, effectively suppressing

Splitters, Combiners – buy at reasonable price | LowBandSystems

LowBandSystems splitters / combiners are low loss, high isolation power dividers designed for splitting receiver lines in order to feed two or more receivers or combine signals from few antennas.

How to Calculate Splitter Loss in Optical Fiber

The low-insertion loss characteristics of the sophisticated PLC splitters produced by SDGI Cable are a product of core alignment perfection, low-return loss, and quality assurance.

4 Important Technical Indicators of Fiber Optic Splitters

To select best fiber optic splitter, Let''s delve into four critical indicators: insertion loss, splitting ratio, isolation and stability,

Multimode OM 1 Pigtail

About this product Connector LC / SC / FC / ST | DUBLEX | Singlemode Polishing | UPC Return loss | > 55 dB Insertion loss | < 0.25 dB (IEC Grade B) Length | 1.5 m / 2.0 m Sheath material | LSZH, UL-94

Ultra Broadband Low Loss Splitter/Combiner | DEV 2644

The Ultra Broadband Low Loss Splitter/Combiner DEV 2644 is wall mountable compact 1:4/4:1 passive splitter or combiner. The low slope, the high port-to-port isolation and the very low difference in

Understanding Power Splitters

The key parameters are influenced in the same direction during the design stage. A well-designed power splitter/combiner will offer high isolation, low insertion loss and good VSWR. You

Customization Process for OM4 Low Insertion Loss Splitter in FTTH

Learn about optical splitter split ratios (1:N, 2:N), centralized vs. cascaded architectures, and how to choose the right setup for FTTH PON networks. Read More Optical Splitters Demystified: The Silent

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

RF Power Splitters/Dividers,RF Power Combiners

Low insertion loss High Isolation up to 14W power handling Low amplitude unbalance SMA connectors ZN2PD-V54+ Coaxial, DC Pass 2 Way-0° Power Splitter/Combiner Ultra-wideband, 10 to 50 GHz

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved