Oman Single-Fiber Bidirectional SFP



Overview

Comprehensive Guide to FS 10G BiDi SFP ModulesFS 10G BiDi SFP+ modules are a powerful tool for network engineers seeking to boost bandwidth without doublin.

Key Takeaways

Oman Fiber Optic (OFO) is a key supplier in Oman for fiber optic solutions, including single-fiber bidirectional (BiDi) SFP transceivers.

Supplier Overview

Oman Fiber Optic (OFO), through UTG Distribution Systems, provides a wide range of fiber optic products and structured cabling solutions across Oman and the Middle East, including UAE, Bahrain, Saudi Arabia, Qatar, and Kuwait. They offer technical consultancy, design support, and training for telecom, utilities, oil & gas, defense, and enterprise networks. Their products are manufactured to international standards and tested for reliability in harsh GCC climates, including high temperatures and coastal saline environments.

Bi

Di SFP Transceiver Features

Bidirectional (BiDi) SFP transceivers allow data transmission and reception over a single optical fiber using two different wavelengths, typically through Wavelength Division Multiplexing (WDM) technology. Key features include: Single-fiber operation: Both TX and RX signals share one fiber, reducing infrastructure costs. Wavelength pairs: Common combinations include 1310/1490 nm, 1490/1550 nm, or 1550/1310 nm, depending on the module.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Data rates: Modules support speeds from 1 Gbps up to 10 Gbps or higher for SFP+ variants. Hot-swappable: Can be replaced without interrupting network operations. Applications: Ideal for telecom networks, data centers, smart buildings, and enterprise networks where fiber availability is limited.

Example ModulesSFP-7002-WA: 1310 nm TX / 1550 nm RX, Gigabit Ethernet, up to 2 km. SFP-7002-WB: 1550 nm TX / 1310 nm RX, Gigabit Ethernet, up to 2 km. SFP+ BiDi: 1550 nm TX / 1490 nm RX, 10 Gbps, suitable for high-speed networks.

How to Procure

To source BiDi SFP transceivers in Oman: Contact Oman Fiber Optic (OFO) via UTG Distribution Systems for product availability, technical specifications, and pricing. Specify requirements: Include desired wavelength pair, data rate, fiber type (single-mode or multi-mode), and distance. Request support: OFO provides consultancy for network design and module compatibility with existing equipment.

By working with OFO, organizations in Oman can access high-quality BiDi SFP modules that meet international standards and are optimized for local environmental conditions.

Article Content

Comprehensive Guide to FS 10G BiDi SFP Modules

FS 10G BiDi SFP+ modules are a powerful tool for network engineers seeking to boost bandwidth without doubling fiber investment. With their compact form factor, reduced power draw,

Shop SFP Fiber Optical Transceiver Modules in Oman | Latest

The 1000BASE-ZX SFP operates on standard single-mode fiber-optic link spans of up to approximately 70 km in length. The SFP provides an optical link budget of 21 dB, but the precise link span length

BiDi SFP: The Complete Guide to Bidirectional SFP Transceivers and ...

BiDi SFP (Bidirectional Small Form-Factor Pluggable) transceivers have emerged as a powerful solution, enabling full-duplex communication over a single optical fiber. By using

The Essential Guide to BiDi Transceivers: Everything You Need to Know

BiDi transceiver, a compact optical transceiver with WDM (wavelength division multiplexing) technology and SFP multi-source protocol (MSA) compliance, allows fast data

SFP Bidirectional Transceiver (BiDi) Technical Guide

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Comprehensive BiDi SFP guide: learn single-fiber bidirectional transceivers, wavelength pairing, link-budget calculation, compatibility, and deployment best practices.

SFP Transceivers | 1G, CWDM, DWDM, BiDi | EDGE Optical Solutions

Single-fiber bidirectional SFP modules for OC-3/STM-1 and 100M Ethernet applications. Operating in matched A/B wavelength pairs, these transceivers support distances from 2km to 120km, reducing

What is the Difference Between SFP and BiDi SFP?

Compare SFP vs BiDi SFP: key differences, fiber requirements, compatibility, and best use cases to help you choose the right SFP module for

TP LINK TL-SM321A 1000Base-BX WDM Bi-Directional SFP Module

TP-LINK´s TL-SM321A adopts the latest standard 1000Base-BX, transmission over a single strand of fiber, with one different wavelength going in each direction. You can extend the network distance up

Best Fiber Optic Modules in Oman | Buy Bulk Fiber Optic Modules

Product Specifications/Features SFP Optical Transceivers are hot-swappable, compact media connectors that provide instant fiber connectivity for your networking gear.

Ubiquiti Networks Bi-Directional Single-Mode LC SFP

Enjoy reliable bandwidth with your fiber installations with the Bi-Directional Single-Mode LC SFP Transceiver Kit from Ubiquiti Networks. This 2

SFP+ Transceiver CBO SFP-10G-BX-U 10G | AiO.lv

CBO SFP-10G-BX-U is an SFP+ transceiver module supporting 10 Gbps transmission at 1310 nm wavelength. Designed for single-mode, bidirectional fiber links, it enables compact 10G connectivity

SFP Module Buying Guide: How to Choose the Right

SFP Module Buying Guide: How to Choose the Right Transceiver Everything you need to know before buying an SFP module — compatibility,

10G BiDi SFP+ Transceivers. Single-Fiber Bidirectional Transmission ...

Find 10G BiDi SFP+ Transceivers. Single-Fiber Bidirectional Transmission at ETU-Link,we are committed to provide professional technical 10G BiDi SFP+ Transceivers. Single-Fiber Bidirectional

Small Form-factor Pluggable

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Small Form-factor Pluggable Small Form-factor Pluggable connected to a pair of fiber-optic cables Small Form-factor Pluggable (SFP) is a compact, hot-pluggable network interface module format used for

10G Bidirectional Single-Mode Optical Module

SFP+ transceiver that supports 10G connections up to 10 km using single-mode fiber with a simplex LC UPC connector.

CyberSecurity | Why Do Some Optical Modules Use Two Fibers

Why Do Some Optical Modules Use Two Fibers While Others Use Only One? □ Many people assume all optical transceivers work the same way. But if you''ve ever looked at SFP

Alternatives and similar models for SFP+ 10G Transceiver CBO SFP

Summary description: CBO SFP-10G-BX-D is an SFP+ 10G fiber optic transceiver designed for single-channel 10 Gigabit Ethernet links. It provides a compact hot-pluggable interface for fiber connections

SFP28□A 25 Gbps small form-factor hot-pluggable optical module ...

BiDi is a single-fiber bidirectional optical module that uses two different wavelengths (e.g., 1270nm/1330nm) on the same fiber to achieve bidirectional transmission to save fiber resources,

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved